



- Next generation Naiad with BTDA
- Programmable with Exaktor Koolmesh app
- Made in Sweden



Naiad G4 BTDA is the next generation low-profile all-round luminaire, developed to deliver powerful and flexible lighting in both demanding environments and interiors with requirements for efficiency and design. With a robust construction and smart upgrades, it is an obvious choice for industry, warehouses, garages but also for public spaces in a BRF. All Exaktor BTDA luminaires are equipped with an integrated BTDA sensor that enables smart and energy efficient lighting control. Through Exaktor's Koolmesh app, the user can easily configure and customise the lighting as needed, with features such as presence control, daylight control and wireless group management. This provides a flexible and user-friendly solution suitable for both new installations and upgrades of existing lighting. The IP44 rating ensures reliable protection in harsh environments, and thanks to a new LED mounting, shadowing is minimised, resulting in a more even light distribution. The luminaire has a body in rolled sheet metal and end caps in injection-moulded 2-component plastic, which means durability and a well thought-out design. To simplify installation and upgrading, Naiad G4 has a long bracket that makes it easy to replace previous Exaktor models, such as Naiad T5. The luminaire also has an end plate for smooth switching and strain relief. With adjustable output and a choice of fixed colour temperature of 3000K or 4000K, the light can be optimised for different needs. The same wide range of control options as Naiad G3 are available, including On/Off, DALI, RS, RS DIM, PIR and BTDA, where the PIR sensor is now also protected with IP44. Naiad G4 is available in three different sizes: 600, 1200 and 1500 mm, with several lumen output options. The luminaire is manufactured in Sweden and thus there is great flexibility to customise the luminaire as needed. With its smart design, flexible functionality and durable construction, Naiad G4 is the perfect choice for a bright and future-proof lighting solution.

Variations

E-number	Product name	Max. system power (W)	Lumen (lm)	Colour temperature (K)	Mått (LxWxH/D, mm)	Colour	IP-class
7220379	NAIAD G4 L12 4K BTDA RS ÖK	44	4000 - 6900	4000	1200x159x52	White	IP44
7220378	NAIAD G4 L12 3K BTDA RS ÖK	44	4000 - 6900	3000	1200x159x52	White	IP44
7220405	NAIAD G4 L15 4K BTDA PIR Ö	54	4800 - 8400	4000	1480x159x52	White	IP44
7220404	NAIAD G4 L15 3K BTDA PIR Ö	54	4800 - 8400	3000	1480x159x52	White	IP44
7220403	NAIAD G4 L15 4K BTDA PIR	54	4800 - 8400	4000	1480x159x52	White	IP44
7220402	NAIAD G4 L15 3K BTDA PIR	54	4800 - 8400	3000	1480x159x52	White	IP44
7220377	NAIAD G4 L12 4K BTDA RS	44	4000 - 6900	4000	1200x159x52	White	IP44
7220376	NAIAD G4 L12 3K BTDA RS	44	4000 - 6900	3000	1200x159x52	White	IP44
7220401	NAIAD G4 L15 4K BTDA RS ÖK	54	4800 - 8400	4000	1480x159x52	White	IP44
7220400	NAIAD G4 L15 3K BTDA RS ÖK	54	4800 - 8400	3000	1480x159x52	White	IP44
7220399	NAIAD G4 L15 4K BTDA RS	54	4800 - 8400	4000	1480x159x52	White	IP44
7220398	NAIAD G4 L15 3K BTDA RS	54	4800 - 8400	3000	1480x159x52	White	IP44
7220361	NAIAD G4 L06 4K BTDA PIR	27	2200 - 3700	4000	640x159x52	White	IP44
7220360	NAIAD G4 L06 3K BTDA PIR	27	2200 - 3700	3000	640x159x52	White	IP44
7220359	NAIAD G4 L06 4K BTDA RS	27	2200 - 3700	4000	640x159x52	White	IP44
7220358	NAIAD G4 L06 3K BTDA RS	27	2200 - 3700	3000	640x159x52	White	IP44
7220383	NAIAD G4 L12 4K BTDA PIR Ö	44	4000 - 6900	4000	1200x159x52	White	IP44
7220382	NAIAD G4 L12 3K BTDA PIR Ö	44	4000 - 6900	3000	1200x159x52	White	IP44
7220381	NAIAD G4 L12 4K BTDA PIR	44	4000 - 6900	4000	1200x159x52	White	IP44
7220380	NAIAD G4 L12 3K BTDA PIR	44	4000 - 6900	3000	1200x159x52	White	IP44