
Beam G3

https://exaktor.com/en/product/beam-g3/

2026-11-14





- Adjustable output and color temperature
- Available with Zhaga Book 18 socket (Z18)
- Adjustable beam angle (60°, 90°, 120°)

DIP SWITCH CCT | CE | CRI>80 | D | DIP SWITCH POWER | C | IK08 | IP65 | D4i | C3

High-bay luminaire with a black-painted aluminium frame. The luminaire is D-marked and designed for environments with high ceilings, such as industrial premises, warehouses, gyms or supermarkets. It can be used in environments with temperatures ranging from −30°C to +50°C.

The luminaire features adjustable beam angles (60°, 90°, 120°), with the factory setting at 90°, as well as adjustable colour temperature, and delivers a very high luminous flux.

Beam G3 is available as Flex, DALI or Z18. The FLEX variant has adjustable power output, whilst the Z18 version features a Zhaga Book 18 socket for Bluetooth control via, for example, Exaktor Koolmesh/BTDA.

The luminaire is supplied with a smart locking hook for chain mounting and a 1.5 m pre-fitted connection cable with screw terminals for easier installation and connection. A suspension bracket is available as an accessory for flush-to-ceiling mounting.

As an accessory, the luminaire can be fitted with an aluminium or PC reflector to create a different light pattern and a new visual appearance.

Variations

E-number	Product name	Max. system power (W)	Lumen (lm)	Colour temperature (K)	Beam angle (°)	Mått (DxH/D, mm)	Colour
7220900	Beam G3 2CCT FLEX	200		3000 - 4000	90	330x190	Black
7220901	Beam G3 2CCT Z18	200		3000 - 4000	90	330x210	Black
7220902	Beam G3 2CCT DALI	200	17000 - 33700	3000 - 4000	90	330x190	Black