



- Robust with good glare control
- Complies with ball test DIN 57710-13 VDE 0710-13:1981-05
- Made in Värnamo, Sweden



Tage Sport is a Swedish-made open sports hall luminaire with a lot of light. The luminaire is equipped with industrial neon, which has a higher specification and is particularly suitable for tough environments with high demands. Tage Sport meets the requirements of the ball test standard DIN 57710-13 VDE 0710-13:1981-05. The luminaire is mounted on the ceiling (6mm groove) or on a cable with built-in cable bracket or on a pipe with accessory Pipe bracket 7910486 (unpainted) or 7910487 (white).

Tage Sport is available in two lengths (1300 and 1600mm) and with two different beam angles, 60° or 90° and as a variant with on/off, DALI or BTDA. Tage Sport BTDA works as “stand alone” and has no possibility to forward DALI BUS with cable, but all communication is wireless. In order to protect the sensor, a ball cover is included, which is placed over the sensor in the end of the luminaire. Grouping and programming of the luminaires is done using Bluetooth / Bluetooth and the Exaktor Koolmesh app for iOS.

Connection is made at the ends without having to dismantle the optics or reflector, always with an override. On/Off and BTDA have 5G2.5mm2, DALI has 5G2.5mm2 + 2x1.5mm2 for DALI.

On request, Tage is available with a different luminous flux, CRI90, other light color, painted in any RAL color or with a quick switch.

The luminaire is manufactured in Värnamo.

Do you need support?

offert@exaktor.se

0370-69 07 20

exaktor.com/en

exaktor

Variations

E-number	Product name	Max. system power (W)	Lumen (lm)	Colour temperature (K)	Mått (LxWxH/D, mm)	Colour	IP-class
7215957	TAGE SPORT MEB60 L1300/840 DA	81	12000	4000	1325x95x60		IP23
7217053	TAGE 2R 1300 SP MEB60 840 DALI	137	20000	4000	1325x195x60		IP23
7217054	TAGE 2R 1600 SP WIB90 840	173	26900	4000	1600x195x60		IP23
7217055	TAGE 2R 1600 SP MEB60 840	173	28600	4000	1600x195x60		IP23
7217056	TAGE 2R 1600 SP WIB90 840 DALI	173	26900	4000	1600x195x60		IP23
7217057	TAGE 2R 1600 SP MEB60 840 DALI	173	28600	4000	1600x195x60		IP23
7215954	TAGE SPORT WIB90 L1300/840	81	12000	4000	1325x95x60		IP23
7215955	TAGE SPORT MEB60 L1300/840	81	12000	4000	1325x95x60		IP23
7217050	TAGE 2R 1300 SP WIB90 840	137	20000	4000	1325x195x60		IP23
7217051	TAGE 2R 1300 SP MEB60 840	137	20000	4000	1325x195x60		IP23
7217052	TAGE 2R 1300 SP WIB90 840 DALI	137	20000	4000	1325x195x60		IP23
7215956	TAGE SPORT WIB90 L1300/840 DA	81	12000	4000	1325x95x60		IP23
7214409	TAGE SPORT WIB90 L1600/840	98	15100	4000	1600x95x60		IP23
7214410	TAGE SPORT MEB60 L1600/840	98	15100	4000	1600x95x60		IP23
7214411	TAGE SPORT WIB90 L1600/840 DA	98	15100	4000	1600x95x60		IP23
7214412	TAGE SPORT MEB60 L1600/840 DA	98	15100	4000	1600x95x60		IP23
7219475	TAGE 2R S90°L16/840 BTDA VI	173	26900	4000	1600x230x70	White	
7219474	TAGE 2R S60°L16/840 BTDA VI	173	27500	4000	1600x230x70	White	
7219473	TAGE 2R S90°L13/840 BTDA VI	137	21500	4000	1325x230x70	White	
7219472	TAGE 2R S60°L13/840 BTDA VI	137	21500	4000	1325x230x70	White	
7219471	TAGE 2R S90°L16/840 BTDA	173	26900	4000	1600x230x70	Stainless steel	
7219470	TAGE 2R S60°L16/840 BTDA	173	27500	4000	1600x230x70	Stainless steel	
7219469	TAGE 2R S90°L13/840 BTDA	137	21500	4000	1325x95x70	Stainless steel	
7219468	TAGE 2R S60°L13/840 BTDA	137	21500	4000	1325x230x70	Stainless steel	
7219467	TAGE S90° L16/840 BTDA VIT	73	11400	4000	1600x95x60	White	
7219466	TAGE S60° L16/840 BTDA VIT	73	11200	4000	1600x95x60	White	
7219465	TAGE S90° L13/840 BTDA VIT	59	9000	4000	1325x95x60	White	
7219464	TAGE S60° L13/840 BTDA VIT	59	9000	4000	1325x95x60	White	
7219463	TAGE SP 90° L16/840 BTDA	98	14900	4000	1600x95x60	Stainless steel	
7219462	TAGE SP 60° L16/840 BTDA	98	14900	4000	1600x95x60	Stainless steel	
7219461	TAGE SP 90° L13/840 BTDA	81	12000	4000	1325x95x60	Stainless steel	
7219460	TAGE SP 60° L13/840 BTDA	81	12000	4000	1325x95x60	Stainless steel	